



AIR QUALITY AND GREENHOUSE GAS MANAGEMENT PLAN

Document Number:	MXC_MP_EC_02
Status:	Final
Version:	5
Effective:	12/10/2023
Review:	0



Air Quality and Greenhouse Gas Management Plan

Table of Contents

1	Intr	oduction	4				
	1.1	Background	4				
	1.2	Purpose and Scope	4				
	1.3	Objectives	5				
2	Pla	nning	5				
	2.1	Regulatory Requirements	5				
	2.2	Maxwell Project EIS and Supporting Document Commitments	5				
	2.3	Preparation and Consultation	7				
	2.4	Baseline Data	7				
3	Imp	lementation	7				
	3.1	Context	7				
	3.2	Dust Management	7				
	3.2	.1 Weather Forecast	9				
	3.2	.2 Real Time Meteorological Monitoring	9				
	3.2	.3 Real Time Air Quality Monitoring	9				
	3.3	Greenhouse Gas Management	10				
	3.4	Odour Management	11				
	3.5	Fume Management	11				
4	Mea	asurement and Evaluation	12				
	4.1	Air Quality Criteria	12				
	4.2	Mine-owned Land	13				
	4.3	Monitoring	13				
	4.3	.1 Depositional Dust	14				
	4.3	.2 PM _{2.5} , PM ₁₀ and TSP	14				
	4.3	3 Meteorological	14				
	4.4	Cumulative Impacts	15				
	4.5	Incident and Non-Compliance Notification	15				
	4.6	Independent Review by Landowner	16				
	4.7	Adaptive Management and Contingency Plan	16				
	4.8	Complaints Handling	16				
5	Auc	lit, Review and Improvement	17				
	5.1	Review Schedule17					
	5.2	Reporting17					
	5.3	Auditing	18				
	5.4	Access to Information	18				

5.5	Records Management	19
5.6	Continuous Improvement	
5.7	Document Review History	19
6 Inf	formation, Training and Instruction	20
6.1	Competent Persons	20
6.2	Training	20
7 Re	esponsibilities	20
	ocument Information	
8.1	References	20
8.2	Definitions and Abbreviations	21
Append	dix 1 – Staging Activities	23
	dix 2 – Regulatory Requirements	
Append	dix 3 – Maxwell Project EIS and Supporting Document Commitments	33
Append	dix 4 – Planning Secretary Endorsement	35
Append	dix 5 – Baseline Data	36
Append	dix 6 – Air Quality Monitoring Locations	39
	dix 7 – Planning Secretary Approval	

1 INTRODUCTION

1.1 Background

Maxwell Ventures (Management) Pty Ltd (Maxwell), a wholly owned subsidiary of Malabar Resources Limited (Malabar) owns and operates the Maxwell Underground Project (the site). The site is located in the Upper Hunter Valley of New South Wales (NSW), east-southeast of Denman and south-southwest of Muswellbrook. The site is approved to extract a maximum of 8 million tonnes of run-of-mine coal per year over a period of 26 years. The site boundary is shown in **Figure 1**.

The site consists of the following areas:

- Underground area comprising the proposed area of underground mining operations and the mine entry area (MEA) to support underground mining and coal handling activities and provide for personnel and materials access;
- Maxwell Infrastructure (formerly Drayton mine) comprising previous open cut mining areas, existing coal handling and preparation plant (CHPP), train load-out facilities and rail loop, Antiene rail spur and other infrastructure and services; and
- Transport and services corridor between the underground area and Maxwell Infrastructure comprising the proposed site access road, covered overland conveyor, power supply and other ancillary infrastructure and services.

The area within and surrounding the site, which has previously been known as Mt Arthur South, Saddlers Creek and Drayton South, has long been identified as having a significant in-situ coal resource. Prospecting for coal commenced in the late 1940s, with exploration intensifying during the 1960s and 1970s. Open cut coal extraction and mining activities commenced at Maxwell Infrastructure in 1983 and ceased in October 2016. The previous open cut mining area is currently in the rehabilitation phase of the mine operations.

The development consent for State Significant Development 9526 (SSD 9526) was granted on 22 December 2020 under clause 8A of the *State Environmental Planning Policy (State and Regional Development) 2011* and section 4.5(a) of the *Environmental Planning and Assessment Act 1979* (EP&A Act). The development consent was modified on 19 November 2021 (MOD1) to allow for the repositioning of infrastructure primarily at the MEA and realignment of a section of the site access road. The development consent was further modified (MOD2) on 19 October 2022 to allow for the following:

- Re-orientation of the longwall panels in the Woodlands Hill, Arrowfield and Bowfield Seams resulting in a minor increase in the approved underground mining extent.
- Reduction in the width of some of the longwall panels in the Woodlands Hill Seam.
- Repositioning of the upcast ventilation shaft site and associated infrastructure.
- Other minor works and ancillary infrastructure components (e.g. access road and ancillary water management infrastructure for the repositioned ventilation shaft site).

The site also incorporates the development formerly authorised under the Maxwell Infrastructure Project Approval (PA) 06_0202. Development Consent DA 106-04-00 for the existing rail loop and Antiene Rail Spur was granted on 2 November 2000 under Section 76(A)9 and 80 of the EP&A Act. DA 106-04-00 was modified on 18 September 2023 (Antiene MOD1) to align with the approved operating life of the Maxwell Underground Project (i.e. until 2047).

1.2 Purpose and Scope

The purpose of this Air Quality and Greenhouse Gas Management Plan (AQGGMP) is to detail the statutory requirements and to outline the controls to be implemented to manage air quality and greenhouse gas at the site. This AQGGMP is one of a series of Environmental Management Plans that together form the Environmental Management System for the site.

Maxwell ComplexDocument Title: Air Quality and Greenhouse Gas Management PlanDate of Issue: 12/10/2023Owner: HSECFilename: MXC MP EC 02Page 4 of 40

This AQGGMP applies to all activities within the SSD 9526 development application area and the Antiene Rail Spur Development Consent DA 106-04-00 boundary. This AQGGMP is also the Dust Management Plan in accordance with Condition 5.1 of DA 106-04-00.

In accordance with Schedule 2, Part A, Condition A24(a) of SSD 9526, this AQGGMP has been prepared for stage 1 activities only. Stage 1 activities include early preparatory works, construction and first workings (as defined in SSD 9526). A copy of the approval from the Planning Secretary to stage this plan is provided in **Appendix 1**. This plan will be updated prior to the commencement of second workings. At this time, a *Centralised Gas Management Plan* as required under Schedule 2, Part B, Condition B23(d) of SSD 9526 will be included.

The management of blasting and spontaneous combustion to minimise air quality impacts are covered separately in the *Noise and Blasting Management Plan* and *Spontaneous Combustion Management Plan*. Occupation health and safety risks associated with airborne contaminants are addressed in the *Air Quality, Dust or Other Contaminants Principal Hazard Management Plan*.

This NBMP was approved by the Planning Secretary on 4 February 2022. On 6 April 2022 Maxwell gave written notice to the Department of Planning and Environment (DPE) of its intention to commence permitted construction in accordance with Condition A13(b), Schedule 2 of Development Consent SSD 9526. In accordance with Schedule 2, Condition B24 of Development Consent SSD 9526, Maxwell did not commence construction until this AQGGMP was approved by the Planning Secretary. In accordance with Schedule 2, Condition B25 of Development Consent SSD 9526, Maxwell is implementing this AQGGMP.

1.3 Objectives

The objectives of this AQGGMP are to:

- Detail all relevant statutory requirements to be met;
- Identify potential air quality impacts;
- Describe the air quality management system and detail the controls to be implemented;
- Describe energy efficiency measures and the minimisation of greenhouse gas emissions from the site:
- Describe the air quality monitoring program and criteria for the site;
- Detail the protocol for distinguishing dust emissions from neighbouring developments;
- Detail the procedure for reporting air quality related exceedances and incidents to relevant stakeholders; and
- Manage complaints related to air quality in a timely and effective manner.

2 PLANNING

2.1 Regulatory Requirements

This AQGGMP describes the management of air quality and greenhouse gas to meet relevant statutory requirements within SSD 9526, DA 106-04-00, Environment Protection Licence (EPL) 1323, Mining Lease 1531 and Coal Lease 229. The various conditions that relate to air quality and greenhouse gas management and where they are addressed in this document are detailed in **Appendix 2**.

2.2 Maxwell Project EIS and Supporting Document Commitments

An air quality and greenhouse gas assessment was undertaken for the Maxwell Underground Project Environmental Impact Statement (EIS) (published on 14 August 2019) and included assessment of potential impacts with respect to air quality and predicted greenhouse gas emissions. Commitments in the Maxwell Underground Project EIS and supporting documents that relate to air quality and greenhouse gas management, and where they are addressed in this document, are detailed in **Appendix 3**.

Maxwell ComplexDocument Title: Air Quality and Greenhouse Gas Management PlanDate of Issue: 12/10/2023Owner: HSECFilename: MXC MP EC 02Page 5 of 40




Figure 1. Maxwell Underground Project

2.3 Preparation and Consultation

Schedule 2, Part B, Condition B23(a) of SSD 9526, requires that this plan be prepared by a suitably qualified and experienced person/s whose appointment has been endorsed by the Planning Secretary. Maxwell has engaged Philip Henschke (Senior Atmospheric Physicist at Todoroski Air Sciences) and Aleks Todoroski (Director at Todoroski Air Sciences) to assist with the preparation of this plan. A copy of the endorsement by the Planning Secretary is included in **Appendix 4**.

2.4 Baseline Data

Baseline environmental air quality data has been collected from the Maxwell Infrastructure site and included in the EIS. This data provides an indication of the air quality and meteorological conditions prior to the commencement of the Maxwell UG Project.

A graphical summary of the following baseline data is provided in **Appendix 5**:

- Measured 24-hour average particulate matter less than 10 micrometres in diameter (PM₁₀) concentrations during January 2013 to December 2019.
- Measured annual average total suspended particle (TSP) concentrations during January 2013 to December 2019.
- Annual average deposited dust levels during January 2013 to December 2019.

The 24-hour average particulate matter less than 2.5 micrometres in diameter (PM_{2.5}) concentrations during January 2013 to December 2019 is also provided. This data has been sourced from the Spur Hill monitor and the Upper Hunter Air Quality Monitoring Network site in Muswellbrook as PM_{2.5} was not previously monitored at the Maxwell Infrastructure site.

Seasonal trends are apparent in the 24-hour average PM_{10} data which show higher readings in the spring and summer months with the warmer weather elevating the potential for drier ground conditions and the occurrence of windblown dust, bushfires and plant pollen. The 24-hour average $PM_{2.5}$ data shows elevated levels occurring in the cooler months for the Muswellbrook monitoring station which is likely influenced by wood heaters.

Annual and seasonal windroses are also provided in **Appendix 5** and have been prepared based on data from 2015. Analysis of the windroses show that on an annual basis the predominant wind flows are along the northwest to southeast axis, which is typical of the Hunter Valley. The summer winds are predominately from the southeast and east-southeast. The autumn and spring wind distribution is similar to the annual distribution with winds from the southeast, northwest, and west-northwest. During winter, winds are primarily from the northwest and west-northwest.

3 IMPLEMENTATION

3.1 Context

The results of the air quality and greenhouse gas assessment indicated that the dust levels were predicted to be below the relevant criteria at the assessed privately-owned and mine-owned residences. It also found that there were no likely adverse air quality impacts associated with nitrogen dioxide emissions from diesel powered equipment and gas management activities.

The main sources of particulate matter in the area surrounding the site include other mining operations, agriculture, commercial and industrial (including power generation) activities, urban activity and emissions from local anthropogenic activities such as motor vehicle exhaust and domestic wood heaters.

3.2 Dust Management

The air quality management system includes a comprehensive set of both proactive and reactive control measures and monitoring tools to maintain compliance with the air quality criteria for particulate matter

Maxwell ComplexDocument Title: Air Quality and Greenhouse Gas Management PlanDate of Issue: 12/10/2023Owner: HSECFilename: MXC_MP_EC_02Page 7 of 40

less than 10 μ m (PM₁₀) and particulate matter less than 2.5 μ m (PM_{2.5}) (outlined in **Table 2** in **Section 4.1**). These measures and tools are designed to minimise the potential for generation of wind-blown dust (including PM₁₀ and PM_{2.5}) from disturbed surfaces and mining activities, and to enable effective control of episodic dust events.

Reasonable and feasible measures for minimising particulate emissions (including for PM₁₀ and PM_{2.5}) from the operation have been developed with reference to the *NSW Coal Mining Benchmarking Study: International Best Practice Measures to Prevent and/or Minimise Emissions of Particulate Matter from Coal Mining* (Katestone Environmental Pty Ltd, 2011) and are provided in **Table 1.**

Table 1. Air quality control measures

Dust Source	Control Measure	Responsible Person
Rehabilitation activities	Disturbed areas will be rehabilitated as soon as practicable.	HSEC Manager
	Progressive rehabilitation.	HSEC Manager
Construction activities	Regular inspections of stockpiles.	Supervisors
	Application of water to stabilise the surface of stockpiles.	Supervisors
	Regular inspections of exposed areas.	Supervisors
Vehicle movements on unsealed roads causing wheel-	Unsealed roads will be watered as required to maintain wheel generated dust to acceptable levels.	Supervisors
generated haul road emissions	Unsealed roads will be maintained to minimise dust generation.	Supervisors
	All roads will be speed limited. Speed limits will be enforced so that excessive vehicle speeds do not contribute to unacceptable dust generation.	Supervisors
	Obsolete roads will be rehabilitated as soon as practicable.	HSEC Manager
	No material, including sediment or oil, is permitted to be tracked from the site	Supervisors
Vehicle movements on sealed roads	In accordance with Schedule 2, condition A9, Maxwell will undertake the sealing of the full length of the access road between the mine entry area and the CHPP to the satisfaction of the Planning Secretary and no later than 6 months after the date of commencement of first workings as notified under Schedule 2, condition A13(c) of SSD 9526.	Infrastructure Manager
	Maxwell will undertake the sealing in two stages:	
	 Stage 1 – An interim seal in the form of a dust suppressant (implemented no later than 17 September 2023). Stage 2 – A final seal in the form of a permanent paved access road (two coat bitumen spray seal or similar). 	
	In a letter dated 26 September 2023, the Planning Secretary advised that they were satisfied with the staged approach to seal the interim access road using a	

Maxwell Complex
Owner: HSEC

Dust Source	Control Measure	Responsible Person
	dust suppressant product until 31 December 2024, or until the final access road is permanently paved, whichever occurs first.	
Coal handling	The coal hopper will be enclosed with water sprays.	Infrastructure Manager
	Conveyors and transfer points will be enclosed with water sprays as required.	Infrastructure Manager
	Application of water to stabilise the surface of stockpiles.	Infrastructure Manager
Train loading	Conveyors and transfer points will be enclosed with water sprays as required.	Infrastructure Manager
	The coal loaded into wagons will have a streamlined and consistent profile.	Infrastructure Manager
	Coal spillages will be minimised with regular collection and cleaning of any spills.	Infrastructure Manager
All areas	Visual dust levels will be monitored by the Supervisor.	Supervisors
	Equipment operators will be responsible to assess their activities and call for a watercart or notify their Supervisor if dust emissions cannot be controlled.	Operators
	Coordinate air quality management with nearby mines.	Supervisors
	No incineration or open burning of any material is permitted on site	Supervisors
	No emission of offensive odour is permitted beyond the boundary of the site	Supervisors

3.2.1 Weather Forecast

Localised weather forecasts for the day will be reviewed by the Supervisor. The Upper Hunter Air Quality Monitoring Network will be used to assess regional dust levels. The Supervisor will advise the relevant operational personnel during the pre-shift briefing, if the forecast is for strong winds, elevated temperatures or adverse weather conditions. Operations will be monitored, assessed and modified accordingly.

3.2.2 Real Time Meteorological Monitoring

Real-time meteorological monitoring triggers will be used to identify conditions conducive to elevated dust levels. A short message service (SMS) alarm function will be configured to alert the Supervisor of high wind speed readings at the on-site weather stations. This alarm is a trigger for the Supervisor to increase surveillance of operations and modify or suspend operations as required. Changes will be made in accordance with the site *Dust Trigger Action Response Plan*. SMS alarms for high wind speeds readings will not be generated during periods of rainfall.

3.2.3 Real Time Air Quality Monitoring

Maxwell Complex

Owner: HSEC

The objective of the real time air quality monitoring program is to ensure compliance with impact assessment criteria outlined in **Table 2** in **Section 4.1**. Real time air quality monitoring will be designed to alert the Supervisor of short-term dust concentrations that could potentially lead to an exceedance of the $PM_{2.5}$ or PM_{10} impact assessment criteria. An SMS alarm function will be configured to alert the Supervisor of consecutive elevated short-term readings. This alarm is a trigger for the Supervisor to

Document Title: Air Quality and Greenhouse Gas Management Plan Filename: MXC_MP_EC_02

increase surveillance of operations and modify or suspend operations as required. Changes will be made to operations based on the real time air quality monitoring alerts, in accordance with the site Dust Trigger Action Response Plan. During periods of extraordinary events operations will be monitored, assessed and modified accordingly. Project personnel would also undertake visual monitoring of stockpiles and exposed areas. In the event that any substantial dust plumes are observed, additional dust management measures would be implemented.

3.3 **Greenhouse Gas Management**

Maxwell will quantify greenhouse gas emissions for the site. Greenhouse gas emissions will be kept to the minimum practicable level. In accordance with National Greenhouse and Energy Reporting Act 2007 (NGER Act), Maxwell will quantify greenhouse gas emissions attributable to its operations, including emissions from fuel and electricity consumption. Maxwell would manage its contribution to Australian greenhouse gas emissions inventories through participation in the National Greenhouse and Energy Report Scheme, as well as other applicable government initiatives and policies implemented to manage emissions at the national level under Australia's progressive Nationally Determined Contributions.

During second workings (Stage 2 activities) pre-mining gas drainage and goaf gas drainage will occur underground to reduce the gas content in the coal seams. Gas will be drained from the coal seams, and adjacent strata, by drilling in-seam (i.e. horizontal) boreholes into the coal seam in advance of mining. Pre-mining gas drainage will generally be facilitated by underground cross-panel drilling. Gas would be drained through an underground collection system and delivered to the centralised gas management infrastructure at the surface.

As discussed in Section 1.2, a Centralised Gas Management Plan describing the beneficial use of methane produced will be included in this Plan prior to the commencement of second workings (stage 2 activities). No greenhouse gas abatement (e.g. flaring) will occur during first workings (stage 1 activities) due to the expected low inherent methane levels in the expelled ventilation air. As required by condition O4.3 of EPL 1323, the construction of the ventilation shaft will include sampling ports built in accordance with AS 4323.1-1995 (Stationary source emission, Method 1: Selection of sampling positions).

Maxwell has included methods to reduce energy and fuel usage in the project design undertaken so far. Maxwell will continue to investigate ways to reduce energy consumption and fuel use during future during project planning phases.

Maxwell will utilise various management measures to reduce the overall generation of greenhouse gas emissions by:

- Investigating ways to reduce energy consumption during project planning phases and reviewing energy efficient alternatives.
- Undertaking regular maintenance of plant and equipment.
- Monitoring the consumption of fuel and regularly maintaining diesel powered equipment to provide operational efficiency.
- Monitoring the total site electricity consumption and investigating avenues to reduce the requirement.
- Sourcing electricity from renewable resources where available, and economically reasonable and feasible.

In accordance with Schedule 2, Part B, Condition B19(b) of SSD 9526, Maxwell will ensure that all 'nonroad' mobile diesel equipment commissioned into service and used in undertaking the development complies with any applicable exhaust emission standards specified under an EPL, unless otherwise agreed by the Environment Protection Authority (EPA). The requirement of condition O4.3 of EPL 1323 is that any item of non-road mobile diesel equipment commissioned into service and operating at the Premises after June 30 2020 must (1):

- comply with the US EPA Tier 4 final or equivalent exhaust emission standard; or i)
- ii) is otherwise approved, in writing, by the NSW EPA for use on the Premises.

Maxwell Complex

Owner: HSEC

¹ Refer to Appendix 2 for definitions and Notes.

3.4 Odour Management

Experience and analysis (Metford Laboratories 1998) have shown that emissions from spontaneous combustion outbreaks include components that contain sulphur, which cause odour. The primary potential source of odour for the site is spontaneous combustion. In accordance with Schedule 2, Part B, Condition B15 of SSD 9526, Maxwell shall ensure no offensive odours, as defined under the *Protection of the Environment Operations Act 1997* (POEO Act), are emitted from site through implementation of control measures for spontaneous combustion. The prevention and remediation measures of spontaneous combustion outbreaks are detailed within the *Spontaneous Combustion Management Plan* and summarised below.

Extensive rehabilitation has been undertaken at the Maxwell Infrastructure site, following the cessation of mining operations in 2016. As such, the primary focus of spontaneous combustion management is on the prevention of spontaneous combustion outbreaks in the final landform, as well as the detection and remediation of outbreaks in the old open-cut areas. Remediation is prioritised for outbreaks in areas where there is a potential for fumes and odour to migrate off-site.

Maxwell will continue to prevent spontaneous combustion outbreaks in overburden emplacement areas by reducing oxygen access to carbonaceous material. This is generally achieved through:

- Compaction and shaping of the surface.
- Application of inert material to a specified depth.
- Appropriate surface treatment including water management and vegetation establishment.

Historic monitoring data and an inspection using a thermal camera will be undertaken to determine if heating is present. The degree of carbonaceous material will be assessed visually. This technique has been evaluated against an analytical technique and found to be a conservative estimate of spontaneous combustion propensity (Beamish 2017).

Overburden emplacement areas that have reached their nominal landform height and contain carbonaceous material or show signs of heating will be compacted and shaped, where practical. Final surfaces of overburden emplacement areas will be covered with a layer of inert material and compacted. Inert material is sourced from dedicated stockpiles consisting mostly of clays that were established during the mining process. Areas will be assessed by the Mining Engineer and/or Environmental Coordinator as part of the rehabilitation planning process to determine the depth of inert material required.

Surface treatment is required to maintain the effectiveness of the inert capping on overburden emplacement areas. Surface treatment involves the management of water to reduce erosion and the establishment of vegetation.

Remediation is required when outbreaks occur on existing rehabilitated land. The remediation measure that will be implemented for isolated outbreaks includes the loading out and/or pushing out of carbonaceous material to remove the ignition source. Remediation measures that will be implemented for larger outbreaks include reshaping and capping with inert material and or track rolling to reduce potential airflow through material. Inert capping will be compacted where access allows.

Coal stockpiles at the mine entry area and coal handling and preparation plant will be regularly monitored for signs of spontaneous combustion which include heat-haze, smoke and/or spontaneous combustion odours. If monitoring indicates self-heating of coal is occurring, then the stockpile will be recirculated. If possible, the affected coal will be isolated and water will be used to saturate the coal.

3.5 Fume Management

The prevention of fume generation is detailed within the *Noise and Blasting Management Plan* and summarised below.

Document Title: Air Quality and Greenhouse Gas Management Plan

Date of Issue: 12/10/2023

Filename: MXC_MP_EC_02

Page 11 of 40

This document is uncontrolled once printed.

Maxwell will minimise the need for surface blasting during construction, with material preferentially removed (where practicable) with dozers and excavators. The requirement for construction blasting will be influenced by the geotechnical properties of the material being excavated.

The following controls will be implemented where blasting is required:

- Any blasts required for construction activities will be limited to a Maximum Instantaneous Charge (MIC) of approximately 500 kg. This is substantially smaller than blasting in an open cut mining operation which would typically have a MIC in the order of 2,000 kg to 4,000 kg.
- A suitably qualified person will be engaged to manage any blasting operations.
- All personnel involved in planning or undertaking blasting will be appropriately trained and qualified.
- The parameters required for any blasting activities will be designed with a high margin of conservatism to meet the applicable criteria at the nearest privately-owned receivers or any proximal infrastructure.
- Each blast will be designed to maximise the blast efficiency while minimising dust impacts, fume generation, ground vibration, air blast overpressure and the potential for flyrock.
- Blasts will be designed to ensure the following:
 - Adequate height, quantity and type of stemming is utilised in the blasting process to maximise confinement of explosives.
 - Geology that may affect the blast i.e. reactive ground, faults and any other geological considerations, is considered in planning blasts.
 - Appropriate blast products (wet/dry products) will be selected based on the ground and weather conditions for each blast to minimise fume generation.

4 MEASUREMENT AND EVALUATION

4.1 Air Quality Criteria

In accordance with Schedule 2, Part B, Condition B16 of SSD 9526, Maxwell will implement all reasonable and feasible avoidance and mitigation measures so that particulate matter emissions generated by the site do not cause exceedances of the criteria listed in **Table 2** at any residence on privately-owned land.

The criteria do not apply if Maxwell has an agreement with the owner/s of the relevant residence or land to exceed the criteria and has advised DPE in writing of the terms of the agreement. Currently Maxwell has no such agreements because results of the air quality assessment in the project EIS indicated that the dust emissions generated by the development are not likely to be greater than the air quality criteria in **Table 2** at any time during the life of the development at the assessed privately-owned and mine-owned residences. However, if Maxwell enters into an agreement with the owner/s of the relevant residence or land to exceed the criteria, the DPE will be advised in writing, in accordance with Schedule 2, Part B, Condition B17 of SSD 9526.

Table 2. Air quality criteria

Maxwell Complex

Owner: HSEC

Pollutant	Averaging Period	Criteria		
Particulate matter < 10 μm (PM ₁₀)	Annual	^{a, c} 25 μg/m ³		
	24 hour	^ь 50 μ	g/m³	
Particulate matter < 2.5 µm (PM _{2.5})	Annual	^{a, c} 8 μg/m ³		
	24 hour	^b 25 μg/m ³		
Total suspended particulate (TSP) matter	Annual	^{a, c} 90 μg/m ³		
^d Deposited dust	Annual	^b 2 g/m²/month a 4 g/m²/month		

Document Title: Air Quality and Greenhouse Gas Management Plan Filename: MXC_MP_EC_02

Notes:

4.2 Mine-owned Land

Particulate matter emissions from the site shall not exceed the criteria listed in **Table 2** at any occupied residence on mine owned land (including land owned by another mining company) unless:

- the tenant and landowner (if the residence is owned by another mining company) have been notified of any health risks associated with such exceedance in accordance with the notification requirements under Part D, Condition D3 and D4 of SSD 9526;
- the tenant of any land owned by Maxwell can terminate their tenancy agreement without penalty at any time, subject to giving 14 days' notice;
- air quality monitoring is regularly undertaken to inform the tenant and landowner (if the residence is owned by another mining company) of the likely particulate matter emissions at the residence; and
- data from this monitoring is presented to the tenant and landowner in an appropriate format for a
 medical practitioner to assist the tenant and landowner in making informed decisions on the
 health risks associated with occupying the property.

The results of the air quality assessment in the project EIS indicated that the dust emissions generated by the development are not likely to be greater than the air quality criteria in **Table 2** at any time during the life of the development at the assessed privately-owned and mine-owned residences. Therefore, Condition B18, D3 and D4 of SSD 9526 are not triggered

4.3 Monitoring

Maxwell Complex

Owner: HSEC

The site air quality and meteorological monitoring program is undertaken in accordance with the *Approved Methods for Sampling and Analysis of Air Pollutants in New South Wales* (DEC, 2007). The program includes compliance monitoring (required by a consent or licence) and internal monitoring (for operational purposes).

Monitoring equipment includes dust deposition gauges (dust gauges), E-Samplers, Tapered Element Oscillating Microbalance (TEOM) and automatic weather stations. A summary of the monitoring sites is provided in **Table 3** and their location is shown in **Appendix 6**. Compliance monitoring sites have been selected to represent privately-owned receivers.

Table 3. Summary of air quality and meteorological monitoring locations

Instrument	Site name	Monitored variable	Frequency	Туре	Coordinates (GDA 94 Zone 56)	Comments
Dust gauge	2175	Insoluble Solids	30 days (+/- 2 days)	Compliance	E305734, N6421511	Monitoring site representative of northern receivers.
	2230	Insoluble Solids	30 days (+/- 2 days)	Compliance	E303990, N6421853	Monitoring site representative of northern receivers.
	2235	Insoluble Solids	30 days (+/- 2 days)	Compliance	E305560, N6421931	Monitoring site representative of northern receivers.

Document Title: Air Quality and Greenhouse Gas Management Plan Filename: MXC_MP_EC_02

Page 13 of 40

^a Total impact (i.e. incremental increase in concentrations due to the development plus background concentrations due to all other sources).

b Incremental impact (i.e. incremental increase in concentrations due to the development on its own).

^c Excludes extraordinary events such as bushfires, prescribed burning, dust storms, fire incidents or any other activity agreed by the Planning Secretary.

^d Deposited dust is to be assessed as insoluble solids as defined by Standards Australia, AS/NZS 3580.10.1:2003: Methods for Sampling and Analysis of Ambient Air - Determination of Particulate Matter - Deposited Matter - Gravimetric Method.

Instrument	Site name	Monitored variable	Frequency	Туре	Coordinates (GDA 94 Zone 56)	Comments
	2247	Insoluble Solids	30 days (+/- 2 days)	Compliance	E304687, N6421997	Monitoring site representative of northern receivers.
TEOM	TEOM-1	PM _{2.5} , PM ₁₀ and TSP	Continuous	Compliance	E305694, N6421072	Monitoring site representative of northern receivers.
	TEOM-2	PM _{2.5} , PM ₁₀ and TSP	Continuous	Internal	E298813, N6407512	Monitoring site representative of southern receivers.
Anemometer Wind vane Rain gauge Temperature, humidity and	AWS-1	Wind speed and direction Temperature Relative humidity	Continuous	Compliance	E305406, N6420475	Monitoring site representative of northern receivers.
solar radiation sensors	AWS-2	Precipitation Atmospheric pressure Solar radiation Sigma theta	Continuous	Internal	E296458, N6408768	Monitoring site representative of southern receivers.
E-Samplers	ES-01	PM ₁₀	Continuous	Internal	E303404, N6420313	Required under EPL 1323.
	ES-02	PM ₁₀	Continuous	Internal	E305573, N6415968	Required under EPL 1323.
	ES-03	PM ₁₀	Continuous	Internal	E305162, N6419038	Required under EPL 1323.
	ES-04	PM ₁₀	Continuous	Internal	E304203, N6417889	Required under EPL 1323.

4.3.1 Depositional Dust

Dust gauges record monthly average dust deposition rates. These are utilised to assess nuisance dust impacts and determine the amount of dust that settles in a fixed area.

4.3.2 PM_{2.5}, PM₁₀ and TSP

TEOMs will measure off-site $PM_{2.5}$ and PM_{10} concentrations in real time. E-Samplers will measure on site PM_{10} concentrations in real time. The data will be downloaded to a central repository, whereby information can be utilised to assist in day-to-day operations as well as long-term analysis of environmental data.

 PM_{10} monitoring data is used to calculate annual average TSP levels. Based on the relative contribution of dust sources at a surface mine, the PM_{10} contribution to TSP is conservatively estimated to be 40 per cent. Therefore, TSP results can be inferred by multiplying the annual average PM_{10} results by 2.5.

4.3.3 Meteorological

Meteorological monitoring provides the site with information to allow for the most appropriate response to changes in weather conditions. Meteorological monitoring stations have been installed north of the infrastructure area (AWS-1) and south of the mine entry area (AWS-2). The location of the meteorological monitoring stations are shown in **Appendix 6.** As per Condition B26(a) the meteorological stations are capable of measuring meteorological conditions in accordance with the *Approved Methods for Sampling and Analysis of Air Pollutants in New South Wales* (DEC, 2007). As per

Maxwell Complex
Owner: HSEC

Condition B26(b) the meteorological stations are capable of measuring meteorological conditions in accordance with the *NSW Noise Policy for Industry* (EPA, 2017), unless a suitable alternative is approved by the Planning Secretary following consultation with the EPA.

4.4 Cumulative Impacts

In accordance with Schedule 2, Part B, Condition B19(e) of SSD 9526 Maxwell will make all reasonable and feasible endeavours to coordinate air quality management on the site with air quality management at nearby mines (particularly Mt Arthur Coal) to minimise air quality impacts.

Maxwell's closest mining neighbour is Mt Arthur Coal which shares an operational boundary to the west and the Antiene rail spur to the north. Maxwell meets with Mt Arthur Coal on a regular basis. A joint Community Consultative Committee (CCC) meeting with Mt Arthur Coal is conducted every six months where air quality monitoring results and community complaints specific to the rail spur are presented. In the event any exceedances of the criteria are recorded, the results of the investigation are presented to the CCC at this meeting. Maxwell meets with other nearby mining companies on a regular basis to discuss shared learnings from incidents and any new technology and or trials being undertaken. Maxwell also participates in the Upper Hunter Mining Dialogue which brings together nearby mines and the community to discuss various aspects including air quality management.

During periods when real-time meteorological monitoring indicates conditions conducive to elevated regional dust levels, supervisors will increase surveillance of operations and modify or suspend operations as required. Changes will be made to operations in accordance with the site *Dust Trigger Action Response Plan*, to reduce the cumulative impacts of dust emissions. In the event that any substantial dust plumes from nearby mines are consistently observed leaving their site boundary or a community complaint is received about dust generation along a shared operational boundary with a nearby mine, Maxwell will notify the other mining company so that they can undertake their own investigation.

Maxwell will use wind directional data during the analysis of elevated dust readings to distinguish dust emissions from Maxwell operations or if appropriate, neighbouring developments. Wind direction recorded at the nearest meteorological monitoring station (AWS-1 or AWS-2) would be used to determine the proportion of time during the day that wind was coming from Maxwell operations. The daily dust concentration for that day would be multiplied by the proportion of the day wind was blowing from Maxwell operations to calculate site contribution to the daily air quality concentration.

4.5 Incident and Non-Compliance Notification

An incident is defined in SSD 9526 as an occurrence or set of circumstances that causes or threatens to cause material harm and which may or may not be or cause a non-compliance.

In accordance with Schedule 2, Part E, Condition E9 of SSD 9526 and Schedule 2, Part B, Condition C5 of DA 106-04-00, Maxwell shall immediately notify DPE and any other relevant agencies, immediately after it becomes aware of an incident. The notification shall be in writing via the Department's Major Projects Website_and identify the development (including the development application number and name) and set out the location and nature of the incident.

A Pollution and Incident Response Management Plan (PIRMP) is maintained in accordance with the requirements of the Part 5.7A of the POEO Act and Chapter 7, Part 3A of the Protection of the Environment Operations (General) Regulation 2009. Any pollution incident that causes actual or potential material harm will be reported to the relevant agencies immediately after it is identified, as described in the PIRMP. A copy of the PIRMP is located on Malabar's website at https://malabarresources.com.au/sustainability/documentation.

In accordance with Schedule 2, Part E, Condition E10 of SSD 9526 and Schedule 2, Part B, Condition C6 of DA 106-04-00, Maxwell shall notify DPE within seven days of becoming aware of a non-compliance. The notification shall be in writing via the Department's Major Projects Website and identify

 Maxwell Complex
 Document Title: Air Quality and Greenhouse Gas Management Plan

 Owner: HSEC
 Filename: MXC_MP_EC_02

Page 15 of 40

the development (including the development application number and name), set out the condition of SSD 9526 that the Project is non-compliant with, why it does not comply and the reasons for the noncompliance (if known) and what actions have been, or will be, undertaken to address the noncompliance. A non-compliance which has been notified as an incident does not need to also be notified as a non-compliance.

In accordance with Schedule 2, Part D, Condition D5 of SSD 9526, as soon as practicable and no longer than seven days after obtaining monitoring results showing an exceedance of any of the criteria in Table 2, Maxwell will provide the detail of the exceedance to any affected landowners, tenants and the CCC. In accordance with Schedule 2, Part D, Condition D6 of SSD 9526, affected landowners and tenants will be provided with a copy of the fact sheet "Mine dust and You" (NSW Health, 2017), as soon as practicable and no longer than seven days after obtaining monitoring results showing an exceedance of any of the criteria in Table 2.

4.6 **Independent Review by Landowner**

In accordance with Schedule 2, Part D, Condition D7 of SSD 9526, if a landowner considers the development to be exceeding any relevant air quality criterion in Table 2, they may ask the Planning Secretary in writing for an independent review of the impacts of the development on their residence or land. In accordance with Schedule 2, Part D, Condition D9(c) of SSD 9526 Maxwell shall comply with any written requests made by the Planning Secretary to implement any findings of the review.

4.7 **Adaptive Management and Contingency Plan**

In accordance with Schedule 2, Part E, Condition E4 of SSD 9526 and Schedule 2, Part B, Condition C2 of DA 106-04-00, where any exceedance of performance measures has occurred, Maxwell shall, at the earliest opportunity:

- Take all reasonable and feasible steps to ensure that the exceedance ceases and does not
- Consider all reasonable and feasible options for remediation (where relevant) and submit a report to DPE describing those options and any preferred remediation measures or other course of
- Implement reasonable remediation measures as directed by the Planning Secretary.

In accordance with Schedule 2, Part E, Condition E5 (f) of SSD 9526, the following contingency plan is used to manage any unpredicted impacts and their consequences, and to ensure that ongoing impacts reduce to levels below relevant impact assessment criteria as quickly as possible:

- Review the unpredicted impact with consideration of any relevant activities and monitoring data;
- Identify the most likely source of the unpredicted impact;
- Review the existing process and current dust controls; and
- Implement appropriate mitigation measures.

4.8 **Complaints Handling**

Owner: HSEC

If a complaint or enquiry is received regarding air quality, it is investigated as soon as reasonably practicable and managed in accordance with Maxwell's Community Complaints and Enquiries Procedure. Details such as complainant name, contact details, nature of concern, date, time and method of receival are recorded. While details of the enquiry vary depending on the nature and source of the enquiry, the following actions may result:

- Confirmation of whether the complainant would like the matter raised as a complaint or an
- Identify further details which may assist in determining the cause of the complaint.
- Carry out an inspection of the site or conduct an assessment of monitoring results to identify the
- Identify if there is an exceedance or non-compliance with any consent or licence condition.
- Identify, where necessary and practical, methods to manage the source of the complaint and minimise the chance of a recurrence or the potential to generate further complaints.

Maxwell Complex Document Title: Air Quality and Greenhouse Gas Management Plan Date of Issue: 12/10/2023 Filename: MXC_MP_EC_02 Page 16 of 40 All enquiries and/or complaints are recorded in an enquiries database. A summary of complaints is presented to the CCC and included in the Annual Review and EPL Annual Return.

If a landowner considers the development to be exceeding any relevant air criterion in **Table 2**, they may ask the Planning Secretary in writing for an independent review of the impacts of the development on their residence or land. If the Planning Secretary is not satisfied that an independent review is warranted, the Planning Secretary will notify the landowner in writing of that decision, and the reasons for that decision, within 21 days of the request for a review. If the Planning Secretary is satisfied that an independent review is warranted, within three months, or other timeframe agreed by the Planning Secretary and the landowner, of the Planning Secretary's decision, Maxwell shall:

- commission a suitably qualified, experienced and independent person, whose appointment has been approved by the Planning Secretary, to;
 - o consult with the landowner to determine their concerns:
 - conduct monitoring to determine whether the development is complying with the relevant criteria in PART B or PART C of SSD 9526; and
 - o if the development is not complying with the relevant criterion, identify measures that could be implemented to ensure compliance with the relevant criterion; and
- give the Planning Secretary and landowner a copy of the independent review; and
- comply with any written requests made by the Planning Secretary to implement any findings of the review.

5 AUDIT, REVIEW AND IMPROVEMENT

5.1 Review Schedule

The suitability of this AQGGMP will be reviewed in accordance with Schedule 2, Part E, Condition E7 of SSD 9526 and Schedule 2, Part C, Condition C3 of DA 106-04-00, that is within three months of:

- the submission of an incident notification under condition E9/C5:
- the submission of an Annual Review under condition E11;
- the submission of an Independent Environmental Audit under condition E13/C7;
- the approval of any modification of the conditions of SSD 9526 or DA 106-04-00; or
- notification of a change in development phase under condition A13.

In accordance with Schedule 2, Part E, Condition E8 of SSD 9526 and Schedule 2, Part C, Condition C4 of DA 106-04-00,, if necessary, to improve the environmental performance of the site, cater for a modification or comply with a direction, this plan will be revised. The revised plan will be submitted to DPE for approval within six weeks of the review.

5.2 Reporting

An Annual NGER data check will be undertaken by Maxwell determine if the site has triggered the reporting thresholds. If the reporting thresholds are triggered, a report will be submitted in accordance with NGER legislation.

In accordance with Schedule 2, Part E, Condition E11 of SSD 9526, by the end of March in each year after the commencement of the development, or other timeframe agreed by the Planning Secretary, an Annual Review report will be submitted to DPE. The Annual Review will include the following:

- A description of the development that was carried out in the previous calendar year and the development proposed to be carried out over the current calendar year.
- A comprehensive review of air quality and greenhouse gas results and complaints over the previous calendar year.
- A description of non-compliances which occurred in the previous calendar year and actions that were (or are being) taken to rectify the non-compliance and avoid reoccurrence.
- Evaluation of the effectiveness of air quality and greenhouse gas management measures.
- Trends in monitoring data and any discrepancies between predicted and actual impacts.

 Maxwell Complex
 Document Title: Air Quality and Greenhouse Gas Management Plan

 Owner: HSEC
 Filename: MXC_MP_EC_02

• Measures to be implemented over the next calendar year to improve the environmental performance of the development.

In accordance with Schedule 2, Part E, Condition E12 of SSD 9526 copies of the Annual Review shall be submitted to Muswellbrook Shire Council and made available to the CCC and any interested person upon request.

In accordance with Schedule 2, Part E, Condition E17(a) of SSD 9526, the Annual Review will be publicly available on Malabar's website at https://malabarresources.com.au/corporate-governance/.

5.3 Auditing

In accordance with Schedule 2, Part E, Condition E13 of SSD 9526 and Schedule 2, Part C, Condition C7 of DA 106-04-00, within one year of commencement of development under SSD 9526 and within one year of approval of Antiene MOD1, and every three years after, unless the Planning Secretary directs otherwise, Maxwell will commission and pay the full cost of an Independent Environmental Audit of the development. The audit shall:

- (a) be led by a suitably qualified, experienced and independent auditor whose appointment has been endorsed by the Planning Secretary;
- (b) be conducted by a suitably qualified, experienced and independent team of experts (including any expert in field/s specified by the Planning Secretary) whose appointment has been endorsed by the Planning Secretary;
- (c) be carried out in consultation with the relevant agencies and the CCC;
- (d) assess the environmental performance of the development and whether it is complying with the relevant requirements in this consent, water licences and mining leases for the development (including any assessment, strategy, plan or program required under these approvals);
- (e) review the adequacy of any approved strategy, plan or program required under the abovementioned approvals and this consent;
- (f) recommend appropriate measures or actions to improve the environmental performance of the development and any assessment, strategy, plan or program required under the abovementioned approvals and this consent; and
- (g) be conducted and reported to the satisfaction of the Planning Secretary.

In accordance with Schedule 2, Part E, Condition E14 of SSD 9526 and Schedule 2, Part C, Condition C8 of DA 106-04-00, within three months of commencing an Independent Environmental Audit, or other timeframe agreed by the Planning Secretary. Maxwell shall submit a copy of the audit report to the Planning Secretary, and any other NSW agency that requests it, together with its response to any recommendations contained in the audit report, and a timetable for the implementation of the recommendations. The recommendations shall be implemented to the satisfaction of the Planning Secretary.

5.4 Access to Information

In accordance with Schedule 2, Part E, Condition E17 of SSD 9526 and Schedule 2, Part C, Condition C11 of DA 106-04-00, before the commencement of construction and within 3 months of the approval of Antiene MOD1 until the completion of all rehabilitation required under SSD 9526 and DA 106-04-00, Maxwell will make the following information and documents (as they are obtained, approved or as otherwise stipulated within the conditions of SSD 9526) that are relevant to this plan publicly available on Malabar's website:

- this AQGGMP;
- the proposed staging plans for the development if the construction, operation or decommissioning of the development is to be staged;
- minutes of CCC meetings;

Maxwell Complex
Owner: HSEC

Document Title: Air Quality and Greenhouse Gas Management Plan Filename: MXC_MP_EC_02

Page 18 of 40

- regular reporting on the environmental performance of the development in accordance with the reporting requirements in any plans or programs approved under the conditions of this consent;
- a comprehensive summary of the monitoring results of the development, reported in accordance with the specifications in any conditions of this consent, or any approved plans and programs;
- a summary of the current phase and progress of the development;
- contact details to enquire about the development or to make a complaint;
- a complaints register, updated monthly;
- · the Annual Reviews of the development; and
- audit reports prepared as part of any Independent Environmental Audit of the development and the Applicant's response to the recommendations in any audit report.

This information shall be kept up to date, to the satisfaction of the Planning Secretary.

5.5 Records Management

All air quality and greenhouse gas data is maintained in accordance with the Environmental Management Strategy and maintained on the premises for a period of at least four years.

5.6 Continuous Improvement

Feedback from the monitoring results and any complaints will be used to assess impacts and determine where improvements or mitigation measures are required. These measures will be reported on in the Annual Review.

5.7 Document Review History

A summary of the document history is outlined in **Table 4**.

Table 4. Document Revision Status

Issue	Issue Date	Review Team	Details of Change / Communication
1	May 2021	Philip Henschke Aleks Todoroski Alex Newton Robyn Skinner Donna McLaughlin	Document prepared following approval of SSD Consent 9526 for the Maxwell UG Project.
2	February 2022	Alex Newton Donna McLaughlin	Document updated following approval of Modification 1 and installation of TEOM-2.
3	August 2022	Robyn Skinner	Document updated following AEMR submission (to meet Condition E7(b)) and Independent Environmental Audit submission (to meet Condition E7(c)) and notification of construction commencement ((to meet Condition E7(e)).
4	November 2022	Robyn Skinner Donna McLaughlin	Document updated following approval of Modification 2 and to reflect amendments to the <i>Mining Act 1992</i> .
5	October 2023	Donna McLaughlin Alex Newton	Document updated following approval of Modification 1 of development consent DA 106-04-00 for the Drayton Rail Loop and Antiene Rail Spur. Document also updated to include the staged approach for the sealing of the access road between the MEA and CHPP.

Maxwell ComplexDocument Title: Air Quality and Greenhouse Gas Management PlanDate of Issue: 12/10/2023Owner: HSECFilename: MXC_MP_EC_02Page 19 of 40

6 INFORMATION, TRAINING AND INSTRUCTION

6.1 Competent Persons

Suitably qualified, competent and experienced persons shall be involved in the design, planning and implementation of this plan and related procedures.

6.2 Training

Air quality management training is provided to all employees and contractors through the Site Familiarisation process. From time to time, workforce communication and toolbox talks allow for discussion of the objectives and requirements of this and any other relevant Management Plans.

All site personnel involved in supervisory roles will undertake a more detailed awareness training package to assist in the effective implementation of air quality management controls.

7 RESPONSIBILITIES

Responsibilities associated with this management plan are outlined Table 5.

Table 5. Responsibilities

Position	Responsibilities			
General Manager	Provide adequate resources for the implementation of this Plan.			
HSEC Manager	 Oversee the implementation of this Plan Notify regulatory authorities and affected stakeholders of incidents in accordance with this Plan. Coordinate periodic reviews of this Plan. Facilitate training in accordance with this Plan. 			
Environmental Coordinator	 Assist the HSEC Manager as required in the implementation of this Plan. Coordinate investigations of air quality and greenhouse gas related incidents or complaints. Coordinate the implementation of the air quality monitoring program in accordance with this Plan. Coordinate the management of records and reporting of air quality and greenhouse gas data. Manage air quality and greenhouse gas related complaints in accordance with the complaints management procedure. Provide training to all relevant personnel. 			
 Notify the Environmental Coordinator of any incidents and exceedar air quality and greenhouse gas. Implement air quality control measures as defined in this Plan. 				
Undertake works in accordance with the objectives and principles of this Report any incidents and exceedances involving air quality and greenhould be a control of the control of				

8 DOCUMENT INFORMATION

8.1 References

Air Quality, Dust or Other Contaminants Principal Hazard Management Plan

Beamish (2017) Review of Spontaneous Combustion Assessment and Characterisation of Overburden at Drayton Coal Mine

Community Complaints and Enquiries Procedure

Maxwell Complex
Owner: HSEC

Document Title: Air Quality and Greenhouse Gas Management Plan Filename: MXC_MP_EC_02

Page 20 of 40

Department of Environment and Conservation (2007) Approved Methods for Sampling and Analysis of Air Pollutants in New South Wales

Dust Trigger Action Response Plan

Environment and Protection Licence 1323

Katestone Environmental Pty Ltd (2011) NSW Coal Mining Benchmarking Study: International Best Practice Measures to Prevent and/or Minimise Emissions of Particulate Matter from Coal Mining

Metford Laboratories (1998) Spontaneous Combustion Smoke Analysis

Noise and Blasting Management Plan NSW Government Health (2017) Mine dust and You

Pollution and Incident Response Management Plan

Spontaneous Combustion Management Plan

8.2 Definitions and Abbreviations

Term	Definition
Antiene MOD1	Drayton Rail Loop and Antiene Rail Spur (DA 106-04-00) Modification 1
AQGGMP	Air Quality and Greenhouse Gas Management Plan
ccc	Community Consultative Committee
СНРР	Coal Handling and Preparation Plant
DA	Development Approval
DPIE	NSW Department of Planning, Industry and Environment (now NSW Department of Planning and Environment)
DPE	NSW Department of Planning and Environment
EPA	NSW Environment Protection Authority
EP&A	Environmental Planning and Assessment
EPL	Environment Protection Licence
Maxwell MOD1	Maxwell Underground Project (SSD 9526) Modification 1
Maxwell MOD2	Maxwell Underground Project (SSD 9526) Modification 2
MEA	Mine Entry Area
NSW	New South Wales
NGER	National Greenhouse and Energy Reporting
PA	Project Approval
PIRMP	Pollution Incident Response Management Plan

Maxwell Complex
Owner: HSEC

Document Title: Air Quality and Greenhouse Gas Management Plan Filename: MXC_MP_EC_02

Page 21 of 40

Term	Definition	
PM _{2.5}	Particulate matter less than 2.5 micrometres in diameter	
PM ₁₀	Particulate matter less than 10 micrometres in diameter	
SSD	State Significant Development	
SMS	Short message service	
TEOM	Tapered Element Oscillating Microbalance	
Toolbox Talk	A forum where information is presented to the crews	
TSP	Total suspended particulate	

APPENDIX 1 – STAGING ACTIVITIES



Alex Newton Environment and Approvals Coordinator Malabar Coal Ltd Thomas Mitchell Drive (PMB 9) Muswellbrook, NSW, 2333

22/02/2021

Dear Mr. Newton

Maxwell Underground (SSD 9526) Water Management Plan and Air Quality and Greenhouse Gas Management Plan

I refer to you letter dated 4 February 20201 requesting the staged submission of the Water Management Plan (WMP) and Air Quality and Greenhouse Gas Management Plan (AQGGMP) for the Maxwell Underground Mine (SSD 9526). The submission proposes that Stage 1 of these plans will include early preparation works, construction works and first workings.

Early preparation work activities at the Mine Entry Area (MEA) are listed in Section 3.4.2 of the EIS (SSD 9526).

Construction is in accordance with the definitions provided in SSD 9526 Conditions of Consent, involve all physical works to enable mining operations to be carried out, including demolition and removal of buildings or works, and erection of buildings and other infrastructure permitted by this consent. This includes the establishment of the MEA, construction of the access road and overland conveyor between the MEA and Coal Handling Preparation Plant (CHPP), upgrading of plant and infrastructure at the Maxwell Infrastructure site, and the realignment of Edderton Road, but does not include preparatory works described in Section 3.4.2. of the EIS.

First workings include activities listed as 'first workings' in accordance with the definitions provided in SSD 9526 Conditions of Consent, being development of main headings, long walls gate roads, related cut throughs and other workings for mine access and ventilation.

The Department has reviewed the information provided and does not object to the proposal. Accordingly, the Planning Secretary has agreed to stage the submission of the Water Management Plan and Air Quality and Greenhouse Gas Management Plan, as per the early preparation works, construction works and first workings.

The staging and timing for early preparation works, construction works and first workings will be generally consistent with the program schedule in Figure 3-4 of the EIS (SSD 9526).

If you wish to discuss the matter further, please contact Charissa Pillay on 99955944.

Yours sincerely

Matthew Sprott

Director

Resource Assessments (Coal & Quarries)

As nominee of the Planning Secretary

4 Parramatta Square, 12 Darcy Street, Parramatta 2150 | dpie.nsw.gov.au | 1

 Maxwell Complex
 Document Title: Air Quality and Greenhouse Gas Management Plan
 Date of Issue: 12/10/2023

 Owner: HSEC
 Filename: MXC_MP_EC_02
 Page 23 of 40

APPENDIX 2 - REGULATORY REQUIREMENTS

State Significant Development Consent 9526

Clause	Requirement			Section of Plan	
A9	The Applicant must seal the full length of the access road between the MEA and the CHPP, to the satisfaction of the Planning Secretary and by no later than 6 months after the date of commencement of first workings as notified under condition A13(c) of this Schedule.			3.2 – Table 1.	
B15	Odour			3.4	
	The Applicant must ensure that no offensive emitted from the site.	odours, as defined	I under the PC	EO Act, are	
B16	Air Quality Criteria				3.2, 4.1
	The Application must ensure that all reasonal measures are employed so that particulate m do not cause exceedance of the criteria listed owned land.	atter emissions ge	enerated by the	e development	
	Table 3: Air quality criteria				
	Pollutant	Averaging period	Crit	terion	
	Particulate matter < 10 µm (PM ₁₀)	Annual		5 μg/m ³	
		24 hour	^b 50	μg/m³	
	Particulate matter < 2.5 μm (PM _{2.5}) Annual a. c 8 μg/m ³				
		24 hour	our ^b 25 μg/m ³		
	Total suspended particulate (TSP) matter	Annual	^{а, с} 90 µg/m³		
	d Deposited dust Annual b 2 g/m²/month a 4 g/m²/month				
	 Total impact (i.e. incremental increase in concentrations due to the development plus background concentrations due to all other sources). Incremental impact (i.e. incremental increase in concentrations due to the development on its own). Excludes extraordinary events such as bushfires, prescribed burning, dust storms, fire incidents or any other activity agreed by the Planning Secretary. Deposited dust is to be assessed as insoluble solids as defined by Standards Australia, AS/NZS 3580.10.1;2003: Methods for Sampling and Analysis of Ambient Air - Determination of Particulate Matter - Deposited Matter - Gravimetric Method. 				
B17	The criteria in Table 3 do not apply if the App the relevant residence or land to exceed the advised the Department in writing of the term	air quality criteria,	and the Applic		4.1
B18	Particulate matter emissions generated by the listed in Table 3 at any occupied residence of another mining company) unless:				4.2
	 (a) the tenant and landowner (if the residence is owned by another mining company) have been notified of any health risks associated with such exceedances in accordance with the notification requirements under PART D of this consent; 				
	(b) the tenant of any land owned by the Applicant can terminate their tenancy agreement without penalty at any time, subject to giving 14 days' notice;				
	(c) air quality monitoring is regularly undertaken to inform the tenant and landowner (if the residence is owned by another mining company) of the likely particulate matter emissions at the residence; and				
	 (d) data from this monitoring is presented to the tenant and landowner in an appropriate format for a medical practitioner to assist the tenant and landowner in making informed decisions on the health risks associated with occupying the property. 				

Maxwell Complex
Owner: HSEC

Document Title: Air Quality and Greenhouse Gas Management Plan Filename: MXC_MP_EC_02

Page 24 of 40

Clause	Requirement		
B19	Air Quality Operating Conditions		
	The Applicant must:		
	(a) take all reasonable steps to:	3.4, 3.5,	
	(i) Minimise odour, fume and particulate matter (including PM ₁₀ and PM _{2.5}) emissions of the development), paying particular attention to minimising wheel-generated haul road emissions;	3.2 – Table 1 3.4	
	(ii) Eliminate or minimise the risk of spontaneous combustion;		
	(iii) Improve energy efficiency and reduce fugitive greenhouse gas emissions of the development;	3.3	
	(iv) Implement greenhouse gas abatement measures (including beneficial reuse and/or flaring) with respect to methane produced by underground coal mining;	1.2, 3.3	
	(v) Minimise any visible off-site air pollution generated by the development; and	3.2	
	(vi) Minimise, to the greatest extent practicable, the extent of potential dust generating surfaces exposed on the site at any given point in time;	3.2	
	(b) ensure that all 'non-road' mobile diesel equipment used in undertaking the development complies with any applicable exhaust emission standards specified under an EPL, unless otherwise agreed by the EPA;	3.3	
	(c) operate a comprehensive air quality management system that uses a combination of predictive meteorological forecasting and real-time air quality monitoring data to guide the day to day planning of mining operations and the implementation of both proactive and reactive air quality management mitigation measures to ensure compliance with the relevant conditions of this consent;	3.2	
	(d) minimise the air quality impact of the development during adverse meteorological conditions and extraordinary events (see Note c to Table 3 above);	3.2	
	 (e) make all reasonable and feasible endeavours to co-ordinate air quality management on the site with the air quality management at nearby mines (particularly the Mt Arthur Coal Complex) to minimise cumulative air quality impacts; 	4.4	
	 (f) carry out regular air quality monitoring to determine whether the development is complying with relevant conditions of this consent; and 	4.3	
	(g) regularly assess the air quality monitoring data and modify operations on site to ensure compliance with the relevant conditions of this consent.	3.2.3	
B23	Air Quality and Greenhouse Gas Management Plan		
	The Applicant must prepare an Air Quality and Greenhouse Gas Management Plan for the development to the satisfaction of the Planning Secretary. This plan must:		
	 (a) be prepared by a suitably qualified and experienced person/s whose appointment has been endorsed by the Planning Secretary; 	2.3	
	(b) Describe the measures to be implemented to ensure:		
	(i) compliance with the air quality criteria and operating conditions in this consent;	3.2	
	 (ii) best practice management is being employed (including in respect of minimisation of greenhouse gas emissions from the site and energy efficiency); and 	3.3	
	(iii) the air quality impacts of the development are minimised during adverse meteorological conditions and extraordinary events;	3.2	
	(c) Describe the air quality management system in detail;	3.2 1.2	
	(d) Include a Centralised Gas Management Plan which describes the measures implemented to:	N/A	

Clause	Requirement			
	(i) maximise the beneficial use of methane produced by underground coal mining; and			
	 (ii) ensure that air quality impacts on nearby residences associated with the flaring or venting of gases produced by underground coal mining are minimised to the greatest extent practicable; and 			
	 (e) Include an air quality monitoring program, undertaken in accordance with the Approved Methods for Sampling and Analysis of Air Pollutants in New South Wales (DEC, 2007), that: (i) uses monitors to evaluate the performance of the development against air quality criteria in this consent and to guide day to day planning of operations; 			
	(ii) adequately supports the air quality management system;	4.3		
	(iii) includes a protocol for distinguishing the dust emissions of the development from any neighbouring developments; and	4.4		
	(iv) includes a protocol for identifying an air quality incident and notifying the Department and relevant stakeholders of any such incident.	4.5		
	Note: "Methane produced by underground coal mining" does not include methane within mine ventilation air.			
B24	The Applicant must not commence construction until the Air Quality and Greenhouse Gas Management Plan is approved by the Planning Secretary.	Noted		
B25	The Applicant must implement the Air Quality and Greenhouse Gas Management Plan as approved by the Planning Secretary.			
B26	Meteorological Monitoring			
	Prior to the commencement of construction and for the life of the development, the Applicant must ensure that there is a suitable meteorological station operating in the vicinity of the site that:			
	(a) Complies with the requirements in the Approved Methods for Sampling and Analysis of Air Pollutants in New South Wales (DEC, 2007); and	4.3.3		
	(b) Is capable of measuring meteorological conditions in accordance with the NSW Noise Policy for Industry (EPA, 2017), unless a suitable alternative is approved by the Planning Secretary following consultation with the EPA.			
D3	Within one month of the date of this consent, the Applicant must:			
	(c) send a copy of the fact sheet entitled "Mine Dust and You" (NSW Health, 2017) to the owners and/or existing tenants of any land (including mine-owned land) where the predictions in the document/s listed in condition A2(c) identify that dust emissions generated by the development are likely to be greater than the relevant air quality criteria identified in condition B16 at any time during the life of the development.			
D4	Prior to entering into any tenancy agreement for any land owned by the Applicant that is predicted to experience exceedances of the recommended dust and/or noise criteria, the Applicant must:			
	(a) advise the prospective tenants of the potential health and amenity impacts associated with living on the land, and give them a copy of the fact sheet entitled "Mine Dust and You" (NSW Health, 2017); and	4.2		
	(b) advise the prospective tenants of the rights they would have under this consent,			
	to the satisfaction of the Planning Secretary.			

Clause	Requirement		
D5	As soon as practicable and no longer than 7 days after obtaining monitoring results showing an exceedance of any noise or air quality criterion in PART B of this consent, the Applicant must provide the detail of the exceedance to any affected landowners, tenants and the CCC.		
D6	For any exceedance of any air quality criterion in PART B of this consent, the Applicant must also provide to any affected land owners and tenants a copy of the fact sheet " <i>Mine dust and You</i> " (NSW Health, 2017).	4.5	
E5	Management plans required under this consent must be prepared in accordance with relevant guidelines, and include:		
	(a) a summary of relevant background or baseline data;	2.3, Appendix	
	(b) details of:	4	
	(i) the relevant statutory requirements (including any relevant approval, licence or lease conditions);	2.1	
	(ii) any relevant limits or performance measures and criteria; and	4.1	
	 (iii) the specific performance indicators that are proposed to be used to judge the performance of, or guide the implementation of, the development or any management measures; 	4.1	
	(c) any relevant commitments or recommendations identified in the document/s listed in condition A2(c);	Appendix 2	
	(d) a description of the measures to be implemented to comply with the relevant statutory requirements, limits, or performance measures and criteria;	3	
	(e) a program to monitor and report on the:	4, 5.2	
	(i) impacts and environmental performance of the development; and		
	(ii) effectiveness of the management measures set out pursuant to condition E5(c);		
	 (f) a contingency plan to manage any unpredicted impacts and their consequences and to ensure that ongoing impacts reduce to levels below relevant impact assessment criteria as quickly as possible; 	4.7	
	 (g) a program to investigate and implement ways to improve the environmental performance of the development over time; 	5.4	
	(h) a protocol for managing and reporting any:		
	(i) incident, non-compliance or exceedance of any impact assessment criterion or performance criterion);	4.5	
	(ii) complaint; or	4.8	
	(iii) failure to comply with other statutory requirements;	4.5	
	 (i) public sources of information and data to assist stakeholders in understanding environmental impacts of the development; and 	5.2	
	(j) a protocol for periodic review of the plan.	5.1	
	Note: The Planning Secretary may waive some of these requirements if they are unnecessary or unwarranted for particular management plans.		
E6	The Applicant must ensure that management plans prepared for the development are consistent with the conditions of this consent and any EPL issued for the site.		
E7	Revision of Strategies, Plans and Programs		
	Within three months of:	5.1	
	(i) the submission of an incident report under condition E9;		

Clause	Requirement	
	(ii) the submission of an Annual Review under condition E11;	
	(iii) the submission of an Independent Environmental Audit under condition E13;	
	(iv) the approval of any modification of the conditions of this consent (unless the conditions require otherwise); or	
	(v) notification of a change in development phase under condition A13;	
	The suitability of existing strategies, plans and programs required under this consent must be reviewed by the Applicant.	
E8	If necessary, to either improve the environmental performance of the development, cater for a modification or comply with a direction, the strategies, plans and programs required under this consent must be revised, to the satisfaction of the Planning Secretary. Where revisions are required, the revised document must be submitted to the Planning Secretary for approval within six weeks of the review.	5.1
E9	The Applicant must immediately notify the Department and any other relevant agencies immediately after it becomes aware of an incident. The notification must be in writing to compliance@planning.nsw.gov.au and identify the development (including the development application number and name) and set out the location and nature of the incident.	4.5
E10	Within seven days of becoming aware of a non-compliance, the Applicant must notify the Department of the non- compliance. The notification must be in writing to compliance@planning.nsw.gov.au and identify the development (including the development application number and name), set out the condition of this consent that the development is non-compliant with, why it does not comply and the reasons for the non-compliance (if known) and what actions have been, or will be, undertaken to address the non-compliance.	4.5
	Note: A non-compliance which has been notified as an incident does not need to also be notified as a non-compliance.	
E13	Within one year of commencement of development under this consent, and every three years after, unless the Planning Secretary directs otherwise, the Applicant must commission and pay the full cost of an Independent Environmental Audit of the development. The audit must:	5.3
	(a) be led by a suitably qualified, experienced and independent auditor whose appointment has been endorsed by the Planning Secretary;	
	(b) be conducted by a suitably qualified, experienced and independent team of experts (including any expert in field/s specified by the Planning Secretary) whose appointment has been endorsed by the Planning Secretary;	
	(c) be carried out in consultation with the relevant agencies and the CCC;	
	(d) assess the environmental performance of the development and whether it is complying with the relevant requirements in this consent, water licences and mining leases for the development (including any assessment, strategy, plan or program required under these approvals);	
	(e) review the adequacy of any approved strategy, plan or program required under the abovementioned approvals and this consent;	
	(f) recommend appropriate measures or actions to improve the environmental performance of the development and any assessment, strategy, plan or program required under the abovementioned approvals and this consent; and	
	(g) be conducted and reported to the satisfaction of the Planning Secretary.	
E14	Within three months of commencing an Independent Environmental Audit, or other timeframe agreed by the Planning Secretary, the Applicant must submit a copy of the audit report to the Planning Secretary, and any other NSW agency that requests it,	5.3

Clause	Requirement			
	timetab	er with its response to any recommendations contained in the audit report, and a ble for the implementation of the recommendations. The recommendations must emented to the satisfaction of the Planning Secretary.		
E16	represe location	Noise and/or air quality monitoring under this consent may be undertaken at suitable representative monitoring locations instead of at privately-owned residences or other locations listed in Part B, providing that these representative monitoring locations are set out in the respective management plan/s		
E17		the commencement of construction until the completion of all rehabilitation required his consent, the Applicant must:	5.4	
	(a)	make the following information and documents (as they are obtained, approved or as otherwise stipulated within the conditions of this consent) publicly available on its website:		
		(i) the documents referred to in condition A2(c) of this consent;		
		(ii) all current statutory approvals for the development;		
		(iii) all approved strategies, plans and programs required under the conditions of this consent;		
		(iv) the proposed staging plans for the development if the construction, operation or decommissioning of the development is to be staged;		
		(v) minutes of CCC meetings;		
		 (vi) regular reporting on the environmental performance of the development in accordance with the reporting requirements in any plans or programs approved under the conditions of this consent; 		
		 (vii) a comprehensive summary of the monitoring results of the development, reported in accordance with the specifications in any conditions of this consent, or any approved plans and programs; 		
		(viii) a summary of the current phase and progress of the development;		
		(ix) contact details to enquire about the development or to make a complaint;		
		(x) a complaints register, updated monthly;		
		(xi) the Annual Reviews of the development;		
		(xii) audit reports prepared as part of any Independent Environmental Audit of the development and the Applicant's response to the recommendations in any audit report;		
		(xiii) any other matter required by the Planning Secretary; and		
	(b)	keep such information up to date, to the satisfaction of the Planning Secretary.		

Development Consent 106-04-00

Clause	Requirement	Section of Plan
B2	The Applicant must ensure that no offensive odours, as defined under the POEO Act, are emitted from the site	3.4
В3	The Applicant must: (a) integrate the air quality management and monitoring system for the Maxwell Rail Loop and Antiene Rail Spur with the Maxwell Project air quality management and monitoring system	Section 3
	 (b) take all reasonable steps to: (i) minimise odour, fume and particulate matter (including PM₁₀ and PM_{2.5}) emissions of the development, paying particular attention to minimising coal dust emissions associated with train movements; 	3.2, 3.3, 3.4

Maxwell Complex
Owner: HSEC

Clause	Requirement	Section of Plan
	(ii) minimise any visible off-site air pollution generated by the development; and	3.2
	(iii) minimise the extent of potential dust generating surfaces exposed on the site at any given point in time; and	3.2
	(c) make all reasonable efforts to co-ordinate air quality management on the site with the air quality management at nearby mines to minimise cumulative air quality impacts.	4.4
C2	The Applicant must assess and manage development-related risks to ensure that there are no exceedances of the criteria and performance measures in this consent.	4.7
	Where any exceedance of these criteria or performance measures has occurred, the Applicant must, at the earliest opportunity:	
	 (a) Take all reasonable and feasible steps to ensure that the exceedance ceases and does not recur; 	
	(b) Consider all reasonable and feasible options for remediation (where relevant) and submit a report to the Department describing those options and any preferred remediation measures or other course of action; and	
	Implement reasonable remediation measures as directed by the Planning Secretary.	
C3	Within three months of:	5.1
	(a) the submission of an incident report under condition C5 or C6;	
	(b) the submission of an Independent Environmental Audit under condition C7;	
	(c) the approval of any modification of the conditions of this consent (unless the conditions require otherwise);	
	the suitability of existing strategies, plans and programs required under this consent must be reviewed by the Applicant.	
C4	If necessary, to either improve the environmental performance of the development, cater for a modification or comply with a direction, the strategies, plans and programs required under this consent must be revised, to the satisfaction of the Planning Secretary. Where revisions are required, the revised document must be submitted to the Planning Secretary for approval within six weeks of the review.	5.1
	Note: This is to ensure strategies, plans and programs are updated on a regular basis and to incorporate any recommended measures to improve the environmental performance of the development.	
C5	The Applicant must immediately notify the Department and any other relevant agencies immediately after it becomes aware of an incident. The notification must be in writing via the Department's Major Projects Website and identify the development (including the development application number and name) and set out the location and nature of the incident	4.5
C6	Within seven days of becoming aware of a non-compliance, the Applicant must notify the Department of the non- compliance. The notification must be in writing via the Department's Major Projects Website and identify the development (including the development application number and name), set out the condition of this consent that the development is non-compliant	4.5

Clause	Requirement	Section of Plan
	with, why it does not comply and the reasons for the non- compliance (if known) and what actions have been, or will be, undertaken to address the non-compliance.	
	Note: A non-compliance which has been notified as an incident does not need to also be notified as a non-compliance.	
C7	Within one year of approval of Mod 1, and every three years after, unless the Planning Secretary directs otherwise, the Applicant must commission and pay the full cost of an Independent Environmental Audit of the development. The audit must:	5.3
	(a) be led by a suitably qualified, experienced and independent auditor whose appointment has been endorsed by the Planning Secretary;	
	 (b) be conducted by a suitably qualified, experienced and independent team of experts (including any expert in field/s specified by the Planning Secretary) whose appointment has been endorsed by the Planning Secretary; 	
	(c) be carried out in consultation with the relevant agencies;(d) assess the environmental performance of the development and whether it is complying with the relevant requirements	
	in this consent, water licences and mining leases for the development (including any assessment, strategy, plan or program required under these approvals);	
	 (e) review the adequacy of any approved strategy, plan or program required under the abovementioned approvals and this consent; 	
	(f) recommend appropriate measures or actions to improve the environmental performance of the development and any assessment, strategy, plan or program required under the abovementioned approvals and this consent; and	
	(g) be conducted and reported to the satisfaction of the Planning Secretary.	
C8	Within three months of commencing an Independent Environmental Audit the Applicant must submit a copy of the audit report to the Planning Secretary, and any other NSW agency that requests it, together with its response to any recommendations contained in the audit report, and a timetable for the implementation of the recommendations. The recommendations must be implemented to the satisfaction of the Planning Secretary.	5.3
C11	Within 3 months of the approval of Mod 1, until the completion of all rehabilitation required under this consent, the Applicant must: (a) make the following information and documents (as they are obtained, approved or as otherwise stipulated within the conditions of this consent) publicly available on its website:	5.4
	(i) the documents listed in condition A2(c) of this consent;	
	(ii) all current statutory approvals for the development;	
	(iii) all approved strategies, plans and programs required under the conditions of this consent;	
	(iv) a summary of the current phase and progress of the development;	

Clause	Requirement	Section of Plan
	(v) contact details to enquire about the development or to make a complaint;	
	(vi) a complaints register, updated monthly following the receipt of any complaints;	
	(vii) audit reports prepared as part of any Independent Environmental Audit of the development and the Applicant's response to the recommendations in any audit report;	
	(viii) any other matter required by the Planning Secretary; and	
	(b) keep such information up to date, to the satisfaction of the Planning Secretary	

Environment Protection Licence 1323

Clause	Requirement	Section of Plan	
O3.1	Activities occurring at the Premises must be carried out in a manner that minimises the generation of dust at the Premises.	3.2	
O3.2	The Premises must be maintained in a condition which prevents the emission of dust from the Premises.	3.2	
O3.3	No material, including sediment or oil is permitted to be tracked from the Premises	3.2	
04.1	There must be no incineration or open burning of any material(s) on the premises, except as specifically authorised by the EPA.	3.2	
04.2	The Licensee must not cause or permit the emission of offensive odour beyond the boundary of the Premises.	3.2	
O4.3	The construction of the ventilation shaft must include sampling ports built in accordance with the AS 4323.1-1995 (Stationary source emission, Method 1: Selection of sampling positions).		
O4.4	The proponent must ensure that any item of non-road mobile diesel equipment commissioned into service and operating at the Premises after June 30 2020:		
	i) complies with the US EPA Tier 4 final or equivalent exhaust emission standard; or		
	ii) is otherwise approved, in writing, by the NSW EPA for use on the Premises.		
	Note: 1 - 'commissioned into service' is defined as the act of using the item of non-road mobile diesel equipment for commercial or industrial activities for the first time in Australia.		
	2 - US EPA Tier 4 final is defined by US EPA (2016), Non-road Compression-Ignition Engines: Exhaust Emission Standards, EPAA-420-B-16-022, March 2016, U.S. Environmental Protection Agency, Office of Transport and Air Quality (6401A), 1200 Pennsylvania Avenue, NW, Washington, DC 20460, United States.		
	https://www.epa.gov/emission-standards-reference-guide/nonroad-engines-and-vehicles-emission-standards.		
	Acceptable equivalent standards include EU stage V and any other international non-road emission standard with emission limits equal to or lower than the applicable US EPA Tier 4 standard.		
	3 - For the purpose of this condition, non-road mobile diesel equipment means:		

Clause	Requirement				
	i) equipment fitted with a diesel (compression ignition) engine, that is either self-propelled or portable and transportable as indicated by the presence of wheels, skids, lifting handles/points, dolly, trailer or platform mounted; and				
	ii) which is prima	rily designed for off-road	use; and		
	Regulation 2007		registered for	port (Vehicle Registration) the purpose of moving from one	
	a. equipment pri freight or passen	, ,	erated on publ	ic roads for the transportation of	
	b. diesel locomo	tives			
	c. diesel genera	tors			
	d. equipment pri	ncipally designed and in	tended for use	underground.	
M2.1	For each monitoring/discharge point or utilisation area specified below (by a point number), the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in Column 1. The licensee must use the sampling method, units of measure, and sample at the frequency, specified opposite in the other columns:			Noted	
M2.2	Air Monitoring Re	equirements			4.3
	POINT 8,9,10,11	•			
	Pollutant	Units of measure	Frequency	Sampling Method	
	PM10	micrograms per cubic metre	Continuous	Special Method 1	
	Note. Special Method 1 means: monitoring in strict accordance with the operating procedures of monitoring equipment approved in writing by the EPA.				
M8.1	The Licensee must record the average PM ₁₀ concentration at Monitoring Points 8, 9, 10 and 11 at intervals of 10 minutes. This data must be made available upon request by any Authorised Officer of the EPA who asks to see them.			4.3	

APPENDIX 3 – MAXWELL PROJECT EIS AND SUPPORTING DOCUMENT COMMITMENTS

Source	Details	Reference
EIS Section 6.10.5	 Key dust mitigation measures that would be implemented for the Project, commensurate with the Best Practice Report, include: application of water to stabilise the surface of stockpiles; conveyors and transfer points would be enclosed and water sprays would be operated at transfer points, if required; minimising fall height of materials where practicable; enclosure of the ROM coal hopper at the CHPP on three sides and activation of fogging sprays during unloading of ROM coal; and application of water and regular maintenance of unsealed surfaces. 	Table 1
EIS Section 6.10.5 and 8.2.7	Real-time Air Quality Monitoring The real-time monitoring network would be reviewed for the operation of the Project and detailed in the Air Quality and Greenhouse Gas Management Plan. Trigger levels would be determined to facilitate the implementation of adaptive management in response to elevated particulate matter concentrations being identified.	3.2

Maxwell Complex
Owner: HSEC

EIS Section 6.10.5 and 8.2.7	Air Quality and Greenhouse Gas Management Plan An Air Quality and Greenhouse Gas Management Plan would be prepared for the Project and would include: • details of the air quality mitigation measures to be implemented for the Project:	3.2
	 the Project; measures to avoid potential spontaneous combustion events, including mine planning, risk identification and assessment and identification of hot spots; 	3.4
	 measures to control dust emissions from rail wagons, such as streamlining, consistent profiling and regular collection of coal spillages, 	Table 1
	 the real-time air quality monitoring program; details of trigger levels for the investigation of additional mitigation measures; and 	3.2 3.2
	adaptive management response protocols.	4.7
EIS Section 6.10.6 and 8.3.6	Adaptive Measures When the real-time air quality monitoring system indicates specified short-term trigger levels are reached or exceeded, a message would be delivered to a Maxwell representative, alerting them to the elevated short-term dust levels.	3.2.3
	The Project meteorological station would report wind conditions at the time, allowing personnel to evaluate the likely origin of the elevated dust levels (i.e. on-site or off-site sources), enabling appropriate mitigation and response measures to be implemented.	3.2.2
	Project personnel would also undertake visual monitoring of stockpiles and exposed areas. In the event that any substantial dust plumes are observed, additional dust management measures would be implemented.	3.2.3
	Project air quality adaptive management measures would include response to any community issues of concern or complaints, including discussions with relevant landowners and/or refinement of on-site air quality mitigation measures and mine operating procedures.	4.8

APPENDIX 4 – PLANNING SECRETARY ENDORSEMENT



Alex Newton Environment and Approvals Coordinator Thomas Mitchell Drive Muswellbrook, NSW, 2333

10/02/2021

Dear Mr Alex

Maxwell Underground (SSD 9526-PA-6) Air Quality and Greenhouse Management Plan

I refer to your request (SSD 9526-PA-6) for the Planning Secretary's approval of suitably qualified persons to prepare the Air Quality and Greenhouse Gas Management Plan for the Maxwell Underground (SSD-9526).

The Department has reviewed the nominations and information you have provided and is satisfied that these experts are suitably qualified and experienced. Consequently, I can advise that the Planning Secretary approves the appointment of Philip Henschke to prepare the Air Quality and Greenhouse Gas Management Plan. Furthermore, the Planning Secretary approves Aleks Todoroski as the reviewer of the Air Quality and Greenhouse Gas Management Plan.

If you wish to discuss the matter further, please contact Charissa Pillay on 02 99955944.

Yours sincerely

Matthew Sprott

Director

Resource Assessments (Coal & Quarries)

As nominee of the Planning Secretary

4 Parramatta Square, 12 Darcy Street, Parramatta 2150 | dpie.nsw .gov.au | 1

Maxwell Complex
Owner: HSEC

APPENDIX 5 - BASELINE DATA




Figure 2: 24-hour average PM₁₀ concentrations at Maxwell Infrastructure




Figure 3: HVAS 24-hour TSP concentrations at Maxwell Infrastructure




Figure 4: Annual average deposited dust levels at Maxwell Infrastructure




Figure 5: 24-hour average PM_{2.5} concentrations at Spur Hill and UHAQMN Muswellbrook





Figure 6: Annual and seasonal windroses for Maxwell Infrastructure

APPENDIX 6 – AIR QUALITY MONITORING LOCATIONS



APPENDIX 7 - PLANNING SECRETARY APPROVAL

Department of Planning and Environment



Donna McLaughlin HSEC Manager Maxwell Ventures (Management) Pty Ltd Thomas Mitchell Drive Muswellbrook, NSW, 2333

31/10/2023

Maxwell Underground: Air Quality and Greenhouse Gas Management Plan

Dear Mrs. McLaughlin

Thank you for submitting the Air Quality and Greenhouse Gas Management Plan in accordance with Condition B23, Schedule 2 of the consent for the Maxwell Underground (SSD-9526-PA-107). I also acknowledge your response to the Department's review comments and request for additional information.

I note the Air Quality and Greenhouse Gas Management Plan contains the information required by the conditions of approval.

Accordingly, as nominee of the Planning Secretary, I approve the Air Quality and Greenhouse Gas Management Plan (Rev 5, October 2023).

You are reminded that if there are any inconsistencies between the Plan and the conditions of approval, the conditions prevail.

Please ensure you make the document publicly available on the project website at the earliest convenience. If you wish to discuss the matter further, please contact Charissa Pillay on 02 99955944.

Yours sincerely

Stephen O'Donoghue

Director

Resource Assessments

As nominee of the Planning Secretary

4 Parramatta Square, 12 Darcy Street, Parramatta NSW 2150

Locked Bag 5022, Parramatta NSW 2124

www.dpie.nsw.qov.au

1